

# Thirdhand Smoke Resource Center



## How can I protect my child from thirdhand smoke in homes?

### The Short Answer

Thirdhand smoke is the chemicals left behind when someone smokes tobacco. Thirdhand smoke is unhealthy for people and pets. It can stick around for a long time in homes and cars. It gets into your body if you inhale, swallow, or touch the chemicals. Getting rid of it is really hard and can cost a lot of money.

Young children are at the greatest risk of thirdhand smoke exposure. Here are some ways to keep thirdhand smoke out of their homes:

- Make sure all your child's indoor environments are 100% smokefree. Don't let anyone smoke in your home.
- If your child spends time with someone who smokes, have them wash their hands and face and change their clothes before seeing your child.
- If your child comes into contact with second- or thirdhand smoke, they should shower and change their clothes as soon as possible after.
- Avoid thirdhand smoke when moving to a new home by asking if anyone has ever smoked in it.

### The Long Answer

Thirdhand smoke is the chemical residue from tobacco smoke. It is also called "tobacco smoke residue" or "stale tobacco smoke." The chemicals in thirdhand smoke are toxic to humans, especially children. It can linger for years in dust and on household surfaces. It can also become embedded in carpets, furniture, clothes, and building materials. It is difficult and expensive to remove.

Babies and young children are at [the greatest risk of exposure to thirdhand smoke](#). The best way to prevent exposure to thirdhand smoke is to ensure that your child's home is 100% smokefree.

# Thirdhand Smoke Resource Center



That means no smoking or vaping tobacco, e-cigarettes, or cannabis at any time inside your home or anywhere else your child spends time. This includes homes of friends and family, hotels, restaurants, entertainment venues, and childcare.

Here are additional steps you can take to keep thirdhand smoke out of your child's environment.

## **In your home:**

- Remember that smoke can drift into your home, so do not allow anyone to smoke outside near doors, windows, or ventilation systems.
- Before renting an apartment or buying a new home, ask questions about previous residents' use of tobacco, e-cigarettes, and cannabis.
- Before bringing something used into your home, such as furniture or clothing, ask about tobacco, e-cigarette, and marijuana use by previous owners. If you can't find out, factor that into your decision.
- Before someone who smokes visits your home, explain that when people smoke, thirdhand smoke residue sticks to their clothes, hands, face, body, and hair. Then, ask them to wash their hands, shower, and change into clean clothes before spending time in your home or with your child.

## **In someone else's home:**

- Do your best to make sure adults who spend time with your child are 100% smokefree, especially childcare workers.
- If your child spends time with someone who smokes, have them wash their hands and face and change their clothes before seeing your child.
- If you cannot avoid your child spending time somewhere that may contain thirdhand smoke, when your child comes home, have them shower and change into clean clothes.

## **If you believe that a home is polluted with thirdhand smoke:**

It can be very difficult to remove thirdhand smoke from indoor environments, especially if the smoking took place for a long period of time. Depending on the size of the reservoir of

# Thirdhand Smoke Resource Center



pollutants, complete renovation may be required. If you cannot avoid your child spending time in a home that may contain thirdhand smoke, there are a few steps you can take to reduce your child's exposure.

- You may be able to reduce thirdhand smoke in your home by (1) opening windows to air out rooms each week, (2) regularly wiping surfaces with a diluted white vinegar solution, (3) frequent dusting, and (4) weekly vacuuming with a HEPA filter.
- If you have washable items that came from a home where someone smoked, such as clothes, toys, or blankets, thoroughly wash them or consider discarding them.
- Regularly wash your child's blankets, bedding, and toys.
- Remember that it is nearly impossible to remove thirdhand smoke from walls, carpets, HVAC systems, and other large housing structures. If your home is polluted with thirdhand smoke, you will likely have to renovate and replace these.
- When moving into a new home, always ask if previous residents smoked and about the building's smoking policies. If possible, choose a new home that has not been smoked in and a property that has a strict indoor smoking ban.

Do you have more questions about the toxic legacy of tobacco smoke, how it affects human health, and what we can do about it? Learn more [here](#).

Updated: March 2024

## Sources:

Aquilina NJ, Jacob P, Benowitz NL, Fsadni P, Montefort S. Secondhand smoke exposure in school children in Malta assessed through urinary biomarkers. *Environmental Research*. 2022;204:112405. doi:10.1016/j.envres.2021.112405.

Jacob III P, Benowitz NL, Destailats H, Gundel L, Hang B, Martins-Green M, Matt GE, Quintana PJ, Samet JM, Schick SF, Talbot P. Thirdhand smoke: new evidence, challenges, and future directions. *Chemical research in toxicology*. 2017 Jan 17;30(1):270-94.

Jenssen BP, Walley SC, Boykan R, Little Caldwell A, Camenga D, Section on Nicotine and Tobacco Prevention and Treatment, Committee on Substance Use and Prevention,

# Thirdhand Smoke Resource Center



Gonzalez L, Agarwal R, Quigley J, Zoucha K, Walker-Harding L, Kurien C, Ba’Gah R, Jarrett R. Protecting Children and Adolescents From Tobacco and Nicotine. *Pediatrics*. 2023 May 1;151(5):e2023061806. doi:10.1542/peds.2023-061806.

Kassem NO, Daffa RM, Liles S, Jackson SR, Kassem NO, Younis MA, Mehta S, Chen M, Jacob P 3rd, Carmella SG, Chatfield DA, Benowitz NL, Matt GE, Hecht SS, Hovell MF. Children’s exposure to secondhand and thirdhand smoke carcinogens and toxicants in homes of hookah smokers. *Nicotine Tob Res*. 2014 Jul;16(7):961-75. doi: 10.1093/ntr/ntu016. Epub 2014 Mar 3.

Kelley ST, Liu W, Quintana PJE, Hoh E, Dodder NG, Mahabee-Gittens EM, Padilla S, Ogden S, Frenzel S, Sisk-Hackworth L, Matt GE. Altered microbiomes in thirdhand smoke-exposed children and their home environments. *Pediatr Res*. 2021. doi: 10.1038/s41390-021-01400-1. PubMed PMID: 33654287.

Mahabee-Gittens EM, Merianos AL, Hoh E, Quintana PJE, Matt GE. Nicotine on children’s hands: limited protection of smoking bans and initial clinical findings. *Tob Use Insights*. 2019;12:1-6. PMID: 30728727; PMCID: PMC6351963.

Mahabee-Gittens EM, Merianos AL, Jandarov RA, Quintana PJE, Hoh E, Matt GE. Differential associations of hand nicotine and urinary cotinine with children’s exposure to tobacco smoke and clinical outcomes. *Environ Res*. 2021;202:111722. Epub 2021/07/24. doi: 10.1016/j.envres.2021.111722. PubMed PMID: 34297932.

Mahabee-Gittens EM, Merianos AL, Stone L, Wullenweber CA, Quintana PJE, Hoh E, Dodder NG, Lopez-Galvez N, Matt GE. Hand nicotine as an independent marker of thirdhand smoke pollution in children’s environments. *Science of The Total Environment*. 2022;849:157914. doi:10.1016/j.scitotenv.2022.157914.

Mahabee-Gittens EM, Quintana PJE, Hoh E, Merianos AL, Stone L, Lopez-Galvez N, Matt GE. Collecting Hand Wipe Samples to Assess Thirdhand Smoke Exposure. *Front Public Health*. 2021 Dec 20;9:770505. doi:10.3389/fpubh.2021.770505

Matt GE, Quintana PJ, Hovell MF, Bernert JT, Song S, Novianti N, Juarez T, Floro J, Gehrman C, Garcia M, Larson S. Households contaminated by environmental tobacco

# Thirdhand Smoke Resource Center



smoke: sources of infant exposures. Tob Control. 2004 Mar;13(1):29-37. PubMed PMID:14985592.

Northrup TF, Matt GE, Hovell MF, Khan AM, Stotts AL. Thirdhand smoke in the homes of medically fragile children: Assessing the impact of indoor smoking levels and smoking bans. Nicotine Tob Res. 2016;18(5):1290-8. doi:10.1093/ntr/ntv174. PubMed PMID:26315474.

Quintana PJE, Lopez-Galvez N, Matt GE, Merianos AL, Dodder NG, Hoh E, Stone L, Wullenweber CA, Mahabee-Gittens EM. Cotton pillow samplers for assessment of thirdhand smoke in homes of smokers and nonsmokers with children. J Environ Expo Assess. 2023;2(4):23. doi: 10.20517/jeea.2023.28.